鼎誉彩印承制13333170660

以质量求生存/以真诚赢信誉/以信誉求发展

鑫乐臻（沧州）体育设备制造有限公司
Xinlezhen (Cangzhou) Sports Equipment Manufacturing Co., LTD
地址：河北省沧州市盐山县经济开发区正港工业园区
正港路（鑫龙公司院内）
手机：15530702371

# 鑫乐臻体育
# XINLEZHEN SPORTS

## 产品手册
## Product Manual



鑫乐臻（沧州）体育设备制造有限公司
Xinlezhen (Cangzhou) Sports Equipment Manufacturing Co., LTD

**企业精神** 诚信务实 学习创新

**经营理念** 诚信经营 顾客至上 以人为本 效率优先 和谐发展

**公司目标** 品牌无限 追求卓越




## 公司简介
## COMPANY PROFILE

鑫乐臻体育成立于2007年，10多年来一直专业从事体育器材的研发、制造、销售和服务。公司毗邻天津港，占地面积16000多平方米，交通便利，环境优美。

我们主要生产板式网球场、小足球场、壁球场地、笼式足球场、常规足球场、户外健身器材、教学仪器等。此外，我们一直努力研发新产品，以满足不同客户的需求。公司拥有数控切割设备和机器人焊接设备，严格把控产品质量。我们已经获得了CE,ISO认证，拥有自主专利。产品畅销全国各省市，并远销欧洲、美洲、亚洲、非洲等国家和地区。

Xinlezhen Sports (SSTD PADEL) was established in 2007, has been a professional en-gaged in the research, development, manufacture, sale and service of sports equipment formore than 10 years. We are located near to Tianin port, occupies an area of more than 16.000square meters, enjoying convenient transportation and beautiful environment.

Our mainly produce Padel Courts, Padbol Courts, Squash Courts, Soccer Cages, FootballCourts and Outdoor Fitness Equipment etc. Besides, we are making great efforts to developnew products to meet diferent clients requirements. Our company has CNC cutting equipment and robot welding equipment to strictly control the product auality, We have obtained CEISO certificates, and have independent patents. Selling well in all cities and provinces aroundChina, our products are also exported to clients in such countries and regions as Europe.America,Asia, Africa and so on.

# 目录
Contents


销售市场 ..... 04
Sales Market

资质荣誉 ..... 05
Qualifications and honors

公司生产车间 ..... 07
The production workshop of the company

01– 全景旗舰款板式网球场 ..... 09
01– Panoramic Flagship Plate Tennis Court

01 全景款 Panoramic style ..... 11

03 经典款 ..... 13
03 Classic Model

04 豪华悬浮款 ..... 15
Luxury floating version

产品参数 ..... 17
Product parameters

01 全景款 Pro Max ..... 19
Panoramic style Pro Max

04B 豪华悬浮款 Pro Max ..... 21
Luxury floating version

05 全景一体棚 ..... 23
Panoramic integrated shed

人造草坪颜色 ..... 25
Artificial turf color

场地颜色定制 ..... 27
Customized venue color

工程案例 ..... 29
Engineering case




鑫乐臻体育

## 销售市场
## Sales Market



鑫乐臻体育

# 荣誉资质

## HONORARY QUALIFICATION

实力因荣耀而彰显，回首灯火阑珊，更多了一份傲步征程的豪迈

Strength is highlighted by glory. Looking back on the dim lights, it is more heroic on the proud journey

鑫乐臻 体育

XINLEZHEN Sports

## 公司生产车间
The production workshop of the company





细心、精心、用心，使品质永保称心。执着创新突破，坚决稳定品质，落实管理提高效率。时常进行内部审核。把关高品质产品，品质效率不用愁。

Carefulness, meticulousness and dedication ensure that the quality always meets expectations. Persist in innovation and breakthroughs, resolutely stabilize quality, and implement management to enhance efficiency. Conduct internal audits frequently. We control high-quality products, and there's no need to worry about quality and efficiency.

鑫乐臻体育

## 公司生产车间
The production workshop of the company



# 01-全景旗舰款板式网球场
## 01- Panoramic Flagship Plate Tennis Court

### 规格参数

**1、场地尺寸**

长20米，宽10米。

**2、人工草皮**

2.1 类型：曲丝人造草

2.2 高度：12mm，密度：63000 needles/m²，

磅重：9500

高度：10mm，密度：46200 needles/m²，

磅重：13500

2.3 标准：[EN 15330-1:2013]<体育用人造草>

2.4 填砂：石英砂，粒度80-100，数量5-10kg/m²

2.5 弹性：BPR值≥80

### Specification parameters

**1.COURT SIZE**

Length 20 meters, width 10 meters.

**2.ARTIFICIAL GRASS**

2.1 Type: Curved silk artificial grass

2.2 Height:12mm, Density:63000 needles/m², Dtex:9500,Gauge: 3/16"

Height:10mm,Density:46200needles/m²,Dtex:13500, Gauge: 3/16"

2.3 Standard: [EN 15330-1:2013]<Artificial grass for sports>

2.4 Filler: quartz sand, granularity:80-100, quantity 5-10kg/m

2.5 Elasticity: BPR value≥80







### 规格参数

**3、钢化玻璃**

3.1 类型：防爆钢化玻璃

3.2 尺寸：2000mmx3000mm

3.3 厚度：12mm

3.4 特性：耐冲击，弹丸袋冲击性能及破碎形态符合GB15763.2-2005《建筑安全玻璃材料第2部分钢化玻璃》

3.5 标准：EN 12150-1:2015+A1:2019,EN 12150-2:2004

**4、立柱和网片**

4.1 立柱、玻璃与地面之间的垂直角度应小于1°

4.2 玻璃安装应平整

4.3 立柱:100x100x3mm/100x50x3mm热镀锌钢管。网框: 50x30x3mm热镀锌钢管。

4.4 框架用304不锈钢螺栓连接。

4.5 两端及两侧高度4m，两侧中间高度3m，两侧中间设有门。

4.6 网径4mm，网距50x50mm，表面采用静电粉末喷涂，使表面光滑，吸水率:0%。

4.7 各项指标符合[EN10223-1:2012, EN 10223-4:2012]标准。

**5、照明系统**

8盏LED灯，功率200W，防水等级IP65

照度：300LUX

标准：[EN IEC60598-1:2021+A11:2022,EN IEC 60598-2-1:2021]

### Specification parameters

**3.TEMPERED GLASS**

3.1 Type：Explosion-proof tempered glass

3.2 Size：2000mmx3000mm

3.3 Thickness 12mm

3.4 Characteristic：impact resistance, The grape-shot bag impact property and fragmented form comply with GB 15763.2-2005 <Safety glazing materials in building Part 2 -Tempered glass>

3.5 Standard: EN12150-1:2015+A1:2019,EN12150-2:2004

**4.COLUMN AND MESH**

4.1 Vertical angle between column, glass and ground should be less than 1°

4.2 Glass installation should be smooth.

4.3 Column: 100x100x3mm/100x50x3mm, hot-dip galvanized steel tube. Frame: 50 x 30 x 3mm hot-dip galvanized steel tube.

4.4 Structures are connected by stainless steel 304 bolts.

4.5 Ends and both sides height 4m, middle of sides height3m, Doors in the middle of both sides.

4.6 Net diameter 4mm,mesh distance 50x50mm, surface adopts electrostatic powder spraying which makes surface smooth, water absorption rate: 0%.

4.7 Various indexes comply with [EN 10223-1:2012, EN10223-4:2012]standard.

**5.LIGHT SYSTEM**

8 sets LED light, power: 200W, waterproof: IP65

Illuminance: 300 LUX

Standard:[EN IEC 60598-1:2021+A11:2022.EN IEC 60598-2-1:2021]

鑫乐臻体育

## 001全景款 Panoramic style
( PADEL )



鑫乐臻体育

## 003经典款
003 Classic Model

鑫乐臻体育

## 004豪华悬浮款
Luxury floating version

## 产品参数
## Product parameters

The same model as top tournament
Extreme performance &
Faster ball speed
Maximum comfort
White turf stitched in

1.Type：Textured flaments artifcial turf; The fbers completely encapsulate the sand;Minimum risk of abrasion;
2.Backing: Double PP+PU;
3.Height: 12mm; Dtex: 13600; Density: 46200;Gauge: 3/16;
4.Height: 12mm; Dtex: 9500; Density: 63000;Gauge: 3/16;
5.Standard: UNE:41958IN,GB/T20394-2013 Standard;
6.Sand filling: 60-100 mesh silica sand,8-10kg/sqm.

Superior quality
The best steel raw materials
Metallic luster
Exquisite surface treatment

1.Column & cross bar: SPHC Hot-dip galvanizing steel, 100x100x3mm,100x50x3mm;
2.Standard:IE60502,GB15065-94.



Metallic cove to reduce the impact on ball bounce

Mesh frame: SPHC Hot-dip galvanizing steel, 30x50x2mm;
Mesh diameter: 50x50x4mm.



PC connection plate
Transparent
Stable
Durable

1. Reinforced ribbed PC board;
2.Thickness: 8mm;
3.Warranty: 8 years.



鑫乐臻体育

## 产品参数
## Product parameters



Exquisite workmanship
Excellent rust resistance

Accessories: 304 stainless steel.

Tempered glass
Transparent
Safety

1.Thickness:12mm;
2.Size:2995mmX1995mm(18pieces);
3.Standard:EN12150-1,GB/T 20394-2006.

Flood LED lighting system
Play anytime!

1. 8 pieces of 200W LED light;
2. Illuminance: 300Lux;
3. Height: 6m;
4. Color temperature:6500k;nputvoltage180-220v; Frequency 50HZ

All-around bounded net

1. Reinforced nylon net; PVC belt;
2.Length:10m;
3.Middle height: 0.88m(±0.5cm); Endheight: 0.92m(±0.5cm).

鑫乐臻体育

## 001全景款Pro Max
Panoramic style Pro Max





鑫乐臻体育

## 004B豪华悬浮款 Pro Max

Luxury floating version



鑫乐臻体育

## 005全景一体棚
Panoramic integrated shed





鑫乐臻体育

## 人造草坪颜色
Artificial turf color

### HOT SELLING 热销色

Green 绿色

Blue 蓝色

### OTHER OPTIONS 其它颜色

Orange 橙色

Pink 粉色

Purple 紫色

Terracotta 砖红色

Turquoise 绿松石色

Grey 灰色



Red 红色

Black 黑色

## 场地颜色定制
Customized venue color




鑫乐臻体育

## 场地颜色定制
Customized venue color





## 欧洲工程案例
European engineering cases

爱尔兰 Ireland

俄罗斯 Russia

俄罗斯 Russia

斯洛伐克 Slovakia

匈牙利 Hungary

英国 Britain



鑫乐臻体育

## 北美洲工程案例
Engineering cases in North America


巴拿马 Panama

墨西哥 Mexico

墨西哥 Mexico


墨西哥 Mexico

墨西哥 Mexico


墨西哥 Mexico

## 南美洲工程案例
Engineering cases in South America


阿根廷 Argentina

哥伦比亚 Colombia

委内瑞拉 Colombia

委内瑞拉 Colombia

乌拉圭 Uruguay

智利 Chile





## 非洲工程案例
African engineering cases

科特迪瓦 Cote d 'Ivoire

马达加斯加 Madagascar

南非 South Africa



南非 South Africa


南非 South Africa

南非 South Africa

## 亚洲工程案例
Engineering cases in Asia

阿联酋 United Arab Emirates

阿联酋 United Arab Emirates


马尔代夫 Maldives

马来西亚 Malaysia


沙特 Saudi Arabia

泰国 Thailand

鑫乐臻体育

## 亚洲工程案例
Engineering cases in Asia

也门 Yemen


印尼 Indonesia


印尼 Indonesia

越南 Vietnam

越南 Vietnam

巴基斯坦 Pakistan